

SECTION 1 : Identification of the substance/preparation and of the company / undertaking**(a) GHS product identifier**

Vest-It Custom Peg Material

(e) Emergency phone numberCHEMTRAC 1-800-424-9300
CCN9105**(b) Other means of identification**

N/A

(c) Recommended use of the chemical and restrictions on use

For professional dental applications.

(d) Supplier's detailsGarreco, LLC.
430 Hiram Road
Heber Springs, AR 72543
Phone: 1-800-334-1443**SECTION 2: Hazards identification****(a) GHS classification of the substance/mixture****Substance Name**

N/A

(b) Label Elements**Hazard Statements**

None

Precautionary statements

None

Response**Storage**

NA

Disposal

NA

Hazard Symbol(s)

None

Signal Word(s)

None

(c) Other hazards which do not result in classification**IF ON SKIN:** Exposure to dried product may cause temporary, mild mechanical irritation. Exposure may also result in inflammation, rash or itching.**IF INHALED:** If dried, airborne product is inhaled in sufficient quantity, may cause temporary, mild mechanical irritation to respiratory tract. Symptoms may include scratchiness of the nose or throat, cough or chest discomfort.**IF SWALLOWED:** Unlikely route of exposure. Small amounts swallowed incidental to normal handling operations are not likely to cause injury.**IF IN EYES:** May cause temporary, mild mechanical irritation. Fibers may be abrasive; prolonged contact may cause damage to the outer surface of the eye.**SECTION 3: Composition/information on ingredients****(a) Chemical(s) Identity:****(b) Common Name:**

1. Refractories, Fibers, Aluminosilicate
2. Silica (amorphous)
3. Hydroxyethyl cellulose

(c) CAS No.142844-00-6
7631-86-9
9004-62-0**Mixture:****Concentration (Percentage)**20 - 25
5 - 10
1 - 3

NOTE: These chemicals are bound in a semi-liquid state and are not expected to be hazardous under normal use.

SECTION 4: First-aid measures

NOTE: Below are for instances when the material is dried and after the unlikely physical manipulation to convert it to a powder form with particles of respirable size.

(a) Description of first aid measures:

IF ON SKIN (or hair): Handling of this material may generate mild mechanical temporary skin irritation. If this occurs, rinse affected areas with water and wash gently. Do not rub or scratch exposed skin.

IF INHALED: If these become irritated move to a dust free area, drink water and blow nose. If symptoms persist, seek medical advice.

IF SWALLOWED: If these become irritated move to a dust free area, drink water and blow nose. If symptoms persist, seek medical advice.

IF IN EYES: In case of eye contact flush abundantly with water; have eye bath available. Do not rub eyes.

(b) Most important symptoms and effects, both acute and delayed:**IF INHALED:**

Mild mechanical irritation to upper respiratory system may result from exposure.

IN EYES:

Mild mechanical irritation to eyes may result from exposure.

(c) Indication of any immediate medical attention and special treatment needed:

ND

SECTION 5: Fire-fighting measures**(a) Suitable extinguishing media:**

Use extinguishing agent suitable for surrounding combustible materials.

(b) Special hazards arising from the chemical or mixture:

Packaging and surrounding materials may be combustible. Thermal decomposition of binder from fires or from heat may release smoke, carbon monoxide, carbon dioxide, aldehydes, and carboxylic acids. Exposure to thermal decomposition fumes may cause respiratory tract irritation, bronchial hyper-reactivity or an asthmatic-type response.

(c) Special protective equipment and precautions for fire-fighters:

NFPA Codes: Flammability: 0 Health: 1 Reactivity: 0 Special: 0

SECTION 6: Accidental release measures

NOTE: Below are for instances when the material is dried and after the unlikely physical manipulation to convert it to a powder form with particles of respirable size.

(a) Personal precautions, protective equipment and emergency procedures:

Minimize airborne dust. Compressed air or dry sweeping should not be used for cleaning. See Section 8 "Exposure Controls / Personal Protection" for exposure guidelines.

(b) Environmental precautions:

N/D

(c) Methods and material for containment and cleaning up:

Frequently clean the work area with vacuum or wet sweeping to minimize the accumulation of debris. Do not use compressed air for cleanup. Product packaging may contain residue. Do not reuse.

SECTION 7: Handling and storage

NOTE: Below are for instances when the material is dried and after the unlikely physical manipulation to convert it to a powder form with particles of respirable size.

(a) Precautions for safe handling:

Handle fiber carefully to minimize airborne dust. Limit use of power tools unless in conjunction with local exhaust ventilation. Use hand tools whenever possible.

(b) Conditions for safe storage, including any incompatibilities:

Store in a manner to minimize airborne dust.

SECTION 8: Exposure controls/Personal protection

NOTE: Below are for instances when the material is dried and after the unlikely physical manipulation to convert it to a powder form with particles of respirable size.

(a) Control parameters:

Chemical	ACGIH TLV	OSHA PEL
1. Refractory Ceramic Fiber (RCF)	0.2 f/cc TLV, 8-hr. TWA	None established
2. Silica (amorphous)	10 mg/m ³	20 mppcf or 80 mg/m ³ / % SiO ₂
3. Hydroxyethyl cellulose	None established	None established

(b) Appropriate Engineering Controls:

Use engineering controls such as local exhaust ventilation, point of generation dust collection, down draft work stations, emission controlling tool designs, and materials handling equipment designed to minimize airborne fiber emissions.

(c) Individual protection measures:

RESPIRATORY: When engineering and/or administrative controls are insufficient to maintain workplace concentrations, the use of appropriate respiratory protection, pursuant to the requirements of OSHA Standards 29 CFR 1910.134 and 29 CFR 1926.103, is recommended.

OTHER PROTECTIVE EQUIPMENT:

Skin Protection: Wear personal protective equipment, as necessary to prevent skin irritation. Washable or disposable clothing may be used.

Eye Protection: As necessary, wear goggles or safety glasses with side shields.

SECTION 9: Physical and chemical properties

(a) Appearance:	White, fibrous wool
(b) Odor:	Odorless
(c) Odor threshold:	Not applicable
(d) pH:	Not applicable
(e) Melting point / freezing point:	1760° C (3200°F)
(f) Initial boiling point and boiling range:	Not applicable
(g) Flash point	Not applicable
(h) Evaporation rate (BuAc=1):	Not applicable
(i) Flammability:	Not applicable
(j) Upper/lower flammability or explosive limits:	Not applicable
(k) Vapor Pressure:	Not applicable
(l) Vapor density:	Not applicable
(m) Relative density:	2.50 - 2.75
(n) Solubility:	Insoluble
(o) Partition coefficient: n-octanol/water:	Not applicable
(p) Auto-ignition temperature:	Not applicable
(q) Decomposition temperature:	Not applicable
(r) Viscosity:	Not applicable

SECTION 10: Stability and reactivity

(a) Reactivity:	RCF is non-reactive
(b) Chemical stability:	As supplied RCF is stable and inert.
(c) Possibility of hazardous reactions:	None
(d) Conditions to avoid:	Please refer to handling and storage advice in Section 7
(f) Hazardous decomposition products:	Thermal decomposition of binder may release smoke, carbon monoxide, carbon dioxide, aldehydes, and carboxylic acids. Exposure to thermal decomposition fumes may cause respiratory tract irritation, bronchial hyper-reactivity or an asthmatic-type response.

SECTION 11: Toxicological information**Acute toxicity**

ND

Skin corrosion/irritation

Not a chemical irritant according to test method OECD no. 404.

Serious Eye Damage / Irritation

Not possible to obtain acute toxicity information due to the morphology and chemical inertness of the substance

Respiratory or skin sensitization

No evidence from human epidemiological studies of any respiratory or skin sensitization potential.

Germ cell mutagenicity

Method: In vitro micronucleus test - Hamster (CHO) - 135 mg/ml

Routes of administration: In suspension

Results: Negative

NOTE: Inhalation exposure is not expected under normal use.Method: Inhalation, multidose - Rat - 3 mg/m³, 9 mg/m³ and 16 mg/m³

Routes of administration: Nose only inhalation

Results: Fibrosis reached significant levels at 16 and 9 mg/m³ but not 3 mg/m³.Method: Inhalation, single dose - Rat - 30 mg/m³

Routes of administration: Nose only inhalation

Results: Rats exposed to a single concentration of 200 WHO fibers/ml specially prepared RCF for 24 months. High incidence of exposure related pulmonary neoplasms observed. A small number of mesotheliomas observed in each of the fiber exposure groups.

Method: Inhalation, single dose - Hamster - 30 mg/m³

Routes of administration: Nose only inhalation

Results: Hamsters exposed to a single concentration of 260 WHO fibers/ml specially prepared RCF for 18 months and developed lung fibrosis, a significant number of pleural mesotheliomas (42/102) but no primary lung tumors.

Method: Inhalation, single dose - Rat - RCF1: 130 F/ml and 50 mg/m³ (25% of non fibrous particles), RCF1a: 125 F/ml and 26 mg/m³ (2% of non fibrous particles)

Routes of administration: Nose only inhalation

Results: Rats exposed to RCF1 and RCF1a for 3 weeks. The main difference of these 2 samples was the nonfibrous particle content of respectively 25% versus 2%. The post treatment observation was 12 months. Alveolar clearance was barely retarded after RCF1A exposure. After RCF1 exposure, however, a severe retardation of clearance was observed. After intraperitoneal injection of ceramic fibers into rats in three experiments, mesotheliomas were found in the abdominal cavity in two studies, while the third report had incomplete histopathology. Only a few mesotheliomas were found in the abdominal cavity of hamsters after intraperitoneal injection in one experiment. However, the ceramic fibers tested were of relatively large diameter. When rats and hamsters were exposed via intraperitoneal injection, tumor incidence was related to fiber length and dose.

Method: Gavage - Rat - 250mg/kg/day

Routes of administration: Oral

Reproductive toxicity

Results: No effects were seen in an OECD 421 screening study. There are no reports of any reproductive toxic effects of mineral fibers.

STOT-single exposure

Not applicable

STOT-repeated exposure

Not applicable

Aspiration Hazard

Not applicable

(a) Exposure route:

Skin and eyes

(b) Symptoms related to the physical, chemical and toxicological characteristics:

If on skin may generate mild mechanical temporary skin irritation. If in eyes may cause temporary irritation.

(c) Delayed and immediate effects and also chronic effects from short and long term exposure:

Possible pulmonary neoplasms, mesotheliomas, or lung fibrosis. See carcinogenicity above.

(d) Numerical measures of toxicity:

See above.

SECTION 12: Ecological information**(a) Ecotoxicity:**

No known aquatic toxicity.

(b) Persistence and degradability:

These products are insoluble materials that remain stable over time and are chemically identical to inorganic compounds found in the soil and sediment.

(c) Bioaccumulative potential

No bioaccumulative potential.

(d) Mobility in soil:

No mobility in soil

(e) Other adverse effects:

No adverse effects of this material on the environment are anticipated.

SECTION 13: Disposal considerations**Recommendation**

NOTE: Below are for instances when the material is dried and after the unlikely physical manipulation to convert it to a powder form with particles of respirable size.

To prevent waste materials from becoming airborne, a covered container or plastic bagging is recommended. Any processing, use, alteration or chemical additions to the product, as purchased, may alter the disposal requirements.

Check local, regional, state or provincial regulations to identify all applicable disposal requirements.

SECTION 14: Transport information**(a) UN Number**

Not Applicable

(b) UN Proper shipping name

Not Applicable

(c) Transport hazard class(es)

Not Applicable

(d) Packing Group

Not Applicable

(e) Environmental hazards

Not a marine pollutant

(f) Transport in bulk

Not Applicable

(g) Other Information

Not Applicable

SECTION 15: Regulatory information**SARA Reporting Requirements:**

Title III this product does not contain any substances reportable under Sections 302, 304, 313, (40 CFR 372). Sections 311 and 312 (40 CFR 370) apply (delayed hazard).

SARA Threshold Planning Quantity:

N/A

TSCA Inventory Status:

RCF is not required to be listed on the TSCA inventory.

Other Federal Requirements:

N/A

Other Canadian Regulations:

N/A

State Regulatory Information:

Pursuant to California Prop 65, this product does not contain any material under normal use classified as a respirable particle sized hazard.

SECTION 16: Other information**PREPARED BY:** Kristofer Mainar**GAR QMS SDS REFERENCE:**

A309

HAZARDOUS MATERIAL IDENTIFICATION (HMIS) RATING:

Health	1* (* denotes potential for chronic effects)
Flammability	0
Reactivity	0
Other	

REVISION NUMBER:

180727

CHANGES FROM PREVIOUS VERSION: Added Chemtrec account number on 4/12/17.

Re-classified on 7/27/18. (see CLASSIFICATION NOTES below)

CLASSIFICATION NOTES:

This product contains Refractories, Fibers, Aluminosilicate, Silica (amorphous) and hydroxyethyl cellulose. These materials are bound in a semi-liquid state and poses no inhalation exposure risk to humans under normal use.

This determination and reclassification is pursuant to "A.0.3 Classification based on weight of evidence" found in APPENDIX A TO §1910.1200– HEALTH HAZARD CRITERIA.

ABBREVIATIONS

NA Not Applicable

ND Not Determined

NE Not Established

ppm parts per million

G Gallon

mg Milligram

L Liter

gm Gram

mol Mole

kg Kilogram

μ Micro

mm Millimeter

p Pico

Pa Pascals

c cent

ACGIH American Conference of Governmental Industrial Hygienist

CPR Controlled Product's Regulation

DSL Canadian Domestic Substances List

NDSL Canadian Non-domestic Substance List

IARC International Agency for Research for Cancer

OSHA Occupational Safety and Health Administration

LD Lethal Dose

TC Toxic Concentration

TD Toxic Dose

BOD Biological Oxygen Demand

COD Chemical Oxygen Demand

Lo Lowest

ThOD Theoretical Oxygen Demand

TLm Threshold Limit

IC Inhibitory Concentration

DOC Dissolved Organic Carbon

H Hours

M Months

D Days

Y Years

W Weeks

NOEL No Observed Effect Level

NOAEL No Observed Adverse Effect Level

LC Lethal Concentration

PEL Permissible Exposure Limit

TLV Threshold Limit Value

THIS MATERIAL SAFETY DATA SHEET IS PREPARED IN COMPLIANCE WITH FEDERAL REGULATIONS (29 CFR 1910.1200) OF CHEMICALS AND THE GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING REVISION 5. ANY APPLICABLE STATE AND LOCAL REGULATIONS SHOULD BE CONSULTED. THE ABOVE INFORMATION MAY BE BASED IN PART ON INFORMATION PROVIDED BY COMPONENT SUPPLIERS AND IS BELIEVED TO BE CORRECT AS OF THE DATE HEREOF. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OF THESE DATA, THE RESULTS TO BE OBTAINED FROM THE USE OF THE MATERIAL, OR THE HAZARDS CONNECTED WITH SUCH USE. SINCE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL AND WITH WHICH WE MAY BE UNFAMILIAR, AND SINCE DATA MADE AVAILABLE SUBSEQUENT TO THE DATE HEREOF MAY SUGGEST MODIFICATION OF THE INFORMATION, WE ASSUME NO RESPONSIBILITY FOR THE RESULT OF ITS USE. THIS INFORMATION AND MATERIAL IS FURNISHED ON THE CONDITION THAT THE PERSON RECEIVING IT SHALL MAKE HIS/HER OWN DETERMINATION AS TO THE SUITABILITY OF THE MATERIAL FOR HIS/HER PARTICULAR PURPOSE AND ON THE CONDITION THAT HE/SHE ASSUME THE RISK OF HIS/HER USE THEREOF.