SECTION 1 : Identification of the substance/preparation and of the company / undertaking

- (a) GHS product identifier
 - Vitex Investment Powder
- (b) Other means of identification NA

(e) Emergency phone number CHEMTRAC 1-800-424-9300 CCN9105

Date Prepared:

(c) Recommended use of the chemical and restrictions on use For professional dental applications.

(d) Supplier's details

Garreco, LLC. 430 Hiram Road Heber Springs, AR 72543 Phone: 1-800-334-1443

SECTION 2: Hazards identification

(a) GHS classification of the substance/mixture

Substance Name

1. Silica Sand

(b) Label Elements

Hazard Statements

May cause respiratory irritation. May cause cancer (inhalation).

Causes damage to organs (lung/respiratory system) through prolonged or repeated exposure (inhalation).

Precautionary statements

Wash hands and forearms thoroughly after handling. Do not eat, drink or smoke when using this product. Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear eye protection, protective clothing, protective gloves.

Do not breathe dust.

Use only outdoors or in a well-ventilated area.

Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center if you feel unwell. Storage

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard Symbol(s) Health Hazard **Exclamation Mark**

Signal Word(s) Danger

(c) Other hazards which do not result in classification

ND

(a) Chemical(s) Identity: (b) Common Name:

1. Silica Sand

(c) CAS No. 14808-60-7

Mixture: **Concentration (Percentage)** 90.0 - 100.0 %

SECTION 4: First-aid measures

(a) Description of first aid measures:

IF exposed or concerned: Get medical advice/attention. If medical advice is needed, have product container or label at hand.

IF ON SKIN (or hair): Rinse immediately with water. Gently wash with soap and water. Obtain medical attention if irritation persists. Remove contaminated clothing, wash before reuse.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

IF SWALLOWED: DO NOT induce vomiting: seek medical advice immediately and show this container or label.

IF IN EYES: Immediately rinse with water for at least 15 minutes while holding the eyelids wide open. Seek medical attention if material is embedded in eye or if irritation persists

TREATMENT: Treat symptoms conventionally, after thorough decontamination.

(b) Most important symptoms and effects, both acute and delayed:

Irritation to the respiratory tract, sneezing, coughing, burning sensation, difficulty breathing, irritation of skin, eye redness, pain, tears, abdominal pain, respiratory difficulties. May cause cancer.

(c) Indication of any immediate medical attention and special treatment needed:

Vomiting, burning sensation of the mouth, throat and gastrointestinal tract or abdominal pain. Burning sensation of throat with constricting sensation of the larynx.

SECTION 5: Fire-fighting measures

(a) Suitable extinguishing media:

Use extinguishing media appropriate for surrounding fire.

(b) Special hazards arising from the chemical or mixture:

None known.

(c) Special protective equipment and precautions for fire-fighters:

Fight fire with normal precautions from a reasonable distance. Use normal individual fire protective equipment.

SECTION 6: Accidental release measures

(a) Personal precautions, protective equipment and emergency procedures:

Do not breathe dust. Avoid generation of dust during clean-up of spills. Recover the product by vacuuming, shoveling or seeping. Vacuum must be fitted with HEPA filter to prevent release of particulates during clean-up. Wear suitable protective clothing, gloves and eye/face protections. Use recommended respiratory protection.

(b) Environmental precautions:

NA

(c) Methods and material for containment and cleaning up:

Avoid generation of dust during clean-up of spills. Recover the product by vacuuming, shoveling or seeping. Vacuum must be fitted with HEPA filter to prevent release of particulates during clean-up. Wear suitable protective clothing, gloves and eye/face protections.

SECTION 7: Handling and storage

(a) Precautions for safe handling:

Do not breathe dust. Avoid creating or spreading dust. Handle in accordance with good industrial hygiene and safety procedures. Always wash your hands immediately after handling this product, and once again before leaving the workplace. Do not eat, drink or smoke in areas where product is used.

(b) Conditions for safe storage, including any incompatibilities:

Store in a dry, cool place. Keep container tightly closed. In finely divided state: reacts with (strong) oxidizers such as: hydrofluoric acid, chlorine trifluoride, oxygen difluoride, fluorine. Keep container closed when not in use.

Date Prepared: 4/12/2017

SECTION 8: Exposure controls/Personal protection

(a) Control parameters:

Chemical

1. Silica Sand

ACGIH	
TLV_TWA	
0.025mg/m ³	

OSHA PEL TWA (30)/(%SiO2 +2) mg/m³ - total dust (10)/(%SiO2 +2) mg/m³ - respirable dust

(b) Appropriate Engineering Controls:

Ensure adequate ventilation, especially in confined areas. Avoid dust production.

(c) Individual protection measures:

RESPIRATORY: Use NIOSH-approved air-purifying or supplied-air respirator where airborne concentrations of dust are expected to exceed exposure limits. Do not breathe dust. Wear recommended personal protective equipment.

EYE PROTECTION: Protective goggles.

PROTECTIVE GLOVES: Impermeable protective gloves.

OTHER PROTECTIVE EQUIPMENT: Handle in accordance with good industrial hygiene and safety practice. Always wash your hands immediately after handling this product, and once again before leaving the workplace. Wear suitable protective clothing. Wash contaminated clothing before reuse.

SECTION 9: Phy	sical and chemical	properties

SECTION 5. Thysical and chemical properties	
(a) Appearance:	Crystalline solid
(b) Odor:	Odorless
(c) Odor threshold:	ND
(d) pH:	ND
(e) Melting point / freezing point:	1710°C / ND
(f) Initial boiling point and boiling range:	2230°C
(g) Flash point:	ND
(h) Evaporation rate (BuAc=1):	ND
(i) Flammability:	ND
(j) Upper/lower flammability or explosive limits:	ND
(k) Vapor Pressure:	ND
(I) Vapor density:	ND
(m) Relative density:	ND
(n) Solubility:	Water: Insoluble
(o) Partition coefficient: n-octanol/water:	ND
(p) Auto-ignition temperature:	ND
(q) Decomposition temperature:	ND
(r) Viscosity:	ND

SECTION 10: Stability and reactivity	
(a) Reactivity:	Hazardous reactions will not occur under normal conditions.
(b) Chemical stability:	Stable under normal temperature and pressure.
(c) Possibility of hazardous reactions:	Hazardous polymerization will not occur.
(d) Conditions to avoid:	None known. Avoid strong oxidizers.
(f) Hazardous decomposition products:	Silica will dissolve in hydrofluoric acid producing a corrosive gas, silicon tetrafluoride.

3.10.20-FM Safety Data Sheet

 Safety Data Sheet
 Date Prepared:

 Form No.
 A319
 Date Prepared:

 SECTION 11: Toxicological information
 Acute toxicity
 Not classified

 Acute toxicity
 Not classified
 Not classified

 Serious Eye Damage / Irritation
 Not classified
 Not classified

Respiratory or skin sensitizationNot classifiedGerm cell mutagenicityNot classifiedCarcinogenicityMay cause cancer (inhalation)Reproductive toxicityNot classifiedSTOT-single exposureMay cause respiratory irritation.STOT-repeated exposureCauses damage to organs (lung/respiratory system) through prolonged or repeated exposure (inhalation).Aspiration HazardNot classified

(a) Exposure route:

Inhalation, ingestion or skin/eye exposure

(b) Symptoms related to the physical, chemical and toxicological characteristics:

Irritation to the respiratory tract, sneezing, coughing, burning sensation, difficulty breathing, irritation of skin, eye redness, pain, tears, abdominal pain, respiratory difficulties. May cause cancer.

(c) Delayed and immediate effects and also chronic effects from short and long tem exposure:

Irritation to the respiratory tract, sneezing, coughing, burning sensation, difficulty breathing, irritation of skin, eye redness, pain, tears, abdominal pain, respiratory difficulties. May cause cancer.

(d) Numerical measures of toxicity:	ND
SECTION 12: Ecological information	
(a) Ecotoxicity:	
	No additional information available.
(b) Persistence and degradability:	
	Not readily biodegradable.
(c) Bioaccumulative potential:	Net surrente d'un bien en une de te
(d) Mobility in apile	Not expected to bioaccumulate
(d) Mobility in soil:	No additional information available.
(e) Other adverse effects:	No additional information available.
(0) 0	No additional information available.

SECTION 13: Disposal considerations

Product:

Recommendation

Disposal must be done according to official regulations. Non hazardous waste.

SECTION 14: Transport information	
(a) UN Number	
	No dangerous good in sense of transport regulations.
(b) UN Proper shipping name	
	Not applicable.
(c) Transport hazard class(es)	
	No additional information available.
(d) Packing Group	
	Not applicable.
(e) Environmental hazards	
	No additional information available.
(f) Transport in bulk	
	No additional information available.
(g) Other Information	
	No additional information available.

4/12/2017

Safety Data Sheet		
Form No. A319	Date Prepared: 4/12/2017	
SECTION 15: Regulatory information		
SARA Reporting Requirements:	Yes	
SARA Threshold Planning Quantity:	SARA section 311/312 Hazard Classes Immediate (acute) health hazard, Delayed (chronic) health hazard	
TSCA Inventory Status:	Listed on the United States TSCA (Toxic Substances Control Act) inventory.	
Other Federal Requirements:	Listed on IARC (International Agency for Research on Cancer) Listed as a carcinogen on NTP (National Toxicology Program)	
Other Canadian Regulations:	Listed on the Canadian DSL (Domestic Substances List) inventory. WHMIS Classification: Class D Division 2 Subdivision A - Very toxic material causing other toxic effects.	
State Regulatory Information:	U.S California - Proposition 65 - Carcinogen WARNING! This product contains Quartz, a substance known to the State of California to cause cancer.	

SECTION 16: Other information	
PREPARED BY:	Kathryn Harris
GAR QMS SDS REFERENCE:	
	A035
HAZARDOUS MATERIAL IDENTIFICATION (HMIS) RATING:	
	2 Health
	0 Flammability
	0 Reactivity
	E Other
NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) RATING:	
	2 Health
	0 Fire
	0 Reactivity
REVISION NUMBER: 170412	
CHANGES FROM PREVIOUS VERSION: Added Chemtrec account nu	$mhor on \frac{1}{12}/17$
Note; on 11/25/19 this SDS was corrected to show CHEMTREC in	SIEAU OF CHEINTRAC
ABBREVIATIONS	
NA Not Applicable	LD Lethal Dose
ND Not Determined	TC Toxic Concentration
NE Not Established	TD Toxic Dose
	POD Bislasiasl Orange Dansand

ND Not Determined NE Not Established ppm parts per million G Gallon mg Milligram L Liter gm Gram mol Mole	TC Toxic Concentration TD Toxic Dose BOD Biological Oxygen Demand COD Chemical Oxygen Demand Lo Lowest ThOD Theoretical Oxygen Demand TLm Threshold Limit IC Inhibitory Concentration
G Gallon	COD Chemical Oxygen Demand
mg Milligram	Lo Lowest
L Liter	ThOD Theoretical Oxygen Demand
gm Gram	TLm Threshold Limit
mol Mole	IC Inhibitory Concentration
kg Kilogram	DOC Dissolved Organic Carbon
μ Micro	H Hours
mm Millimeter	M Months
p Pico	D Days
Pa Pascals	Y Years
c cento	W Weeks
LC Lethal Concentration	NOEL No Observed Effect Level
ACGIH American Conference of Governmental Industrial Hygienist	CPR Controlled Product's Regulation
NDSL Canadian Non-domestic Substance List	DSL Canadian Domestic Substances List
IARC International Agency for Research for Cancer	PEL Permissible Exposure Limit
NOAEL No Observed Adverse Effect Level	TLV Threshold Limit Value
OSHA Occupational Safety and Health Administration	

3.10.20-FM Safety Data Sheet Form No. A319

Date Prepared: 4/12/2017

THIS MATERIAL SAFETY DATA SHEET IS PREPARED IN COMPLIANCE WITH FEDERAL REGULATIONS (29 CFR 1910.1200) OFCHEMICALS AND THE GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING REVISION 5. ANY APPLICABLE STATE AND LOCAL REGULATIONS SHOULD BE CONSULTED. THE ABOVE INFORMATION MAY BE BASED IN PART ON INFORMATION PROVIDED BY COMPONENT SUPPLIERS AND IS BELIEVED TO BE CORRECT AS OF THE DATE HEREOF. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OF THESE DATA, THE RESULTS TO BE OBTAINED FROM THE USE OF THE MATERIAL, OR THE HAZARDS CONNECTED WITH SUCH USE. SINCE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL AND WITH WHICH WE MAY BE UNFAMILIAR, AND SINCE DATA MADE AVAILABLE SUBSEQUENT TO THE DATE HEREOF MAY SUGGEST MODIFICATION OF THE INFORMATION, WE ASSUME NO RESPONSIBILITY FOR THE RESULT OF ITS USE. THIS INFORMATION AND MATERIAL IS FURNISHED ON THE CONDITION THAT THE PERSON RECEIVING IT SHALL MAKE HIS/HER OWN DETERMINATION AS TO THE SUITABILITY OF THE MATERIAL FOR HIS/HER PARTICULAR PURPOSE AND ON THE CONDITION THAT HE/SHE ASSUME THE RISK OF HIS/HER USE THEREOF.