Form No. A411

Date Prepared:

CHEMTREC 1-800-424-9300

(e) Emergency phone number

(a) GHS product identifier

Garreco Axcent Tray Material Liquid

(b) Other means of identification

NA

(c) Recommended use of the chemical and restrictions on use

For professional dental applications.

(d) Supplier's details

Garreco, LLC. 430 Hiram Road Heber Springs, AR 72543 Phone: 1-800-334-1443

SECTION 2: Hazards identification

(a) GHS classification of the substance/mixture

Substance Name

1 Methyl Methacrylate Monomer

(b) Label Elements

Hazard statements

Causes skin irritation Causes serious eye irritations May cause an allergic skin reaction May cause respiratory irritation. May cause drowsiness or dizziness. Highly flammable liquid and vapor **Precautionary statements** Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces .-- No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool If skin irritation or rash occurs: Get medical advice/attention

Response

If skin irritation or rash occurs: Get medical advice/attention IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell In case of fire: Use CO2, dry chemical, or foam for extinction. Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up Disposal Dispose of contents/container to an approved waste disposal plant Hazard Symbol(s) Flame Exclamation mark

(c) Other hazards which do not result in classification

Harmful to aquatic life with long lasting effects Harmful to aquatic life

3.10.20-FM			
Safety Data Sheet			
Form No. A411		Date Prepared:	2/15/2016
SECTION 3: Composition/information on ingredients			
(a) Chemical(s) Identity:		Mixture:	
(b) Common Name:	(c) CAS No. 80-62-6	Concentration (Per >80%	rcentage)
Methyl Methacrylate Monomer		200%	
contains liquid paraffin, methanol and accelera	tor		
SECTION 4: First-aid measures			
(a) Description of first aid measures:			
IF IN EYES: Immediately flush eyes with plenty of water, or remove any contact lenses. Continue to rinse			
IF ON SKIN (OR HAIR): Wash off immediately with soap a and shoes. Seek medical a			ntaminated clothes
IF INHALED: Remove to fresh air. If rapid recovery does near treat	not occur, transpor ment.	t to nearest medical fa	cility for additional
IF SWALLOWED: Rinse mouth. Do NO	T induce vomiting.	Seek medical advice.	
(b) Most important symptoms and effects, both acute and de	layed:		
Overexposure by inhalation may cause CNS depression-du cause skin and eye irritation. May cause allergic ski			
(c) Indication of any immediate medical attention and special Note to Physicians: Treat symptomatically. Can	cause allergic resp	oonse in susceptible o	r hypersensitive
individuals upon repe	ated or prolonged	exposure.	
SECTION 5: Fire-fighting measures			
(a) Suitable extinguishing media: Foam, Dry Chemic	al Carbon Diovide		
Unsuitable Extinguishing Me			
(b) Special hazards arising from the chemical or mixture:			
Vapors may travel to source	e of ignition and fla	ash back.	
Sensitivity to Static Discharge: Take precautionary mea product are readily ignited	•	•	ble mixtures of this
(c) Special protective equipment and precautions for fire-figh	nters:		
As in any fire, wear self-contained breathing apparatus pre full protective gear. In the event of fire, co	ssure-demand, MS	· · ·	• •
SECTION 6: Accidental release measures			
(a) Personal precautions, protective equipment and emergen	cy procedures:		
 Personal Precautions: Wear protective clothing as des sources of ignition. Ensure adequate ventilation. Environmental Precautions: Avoid dispersal of spilled n and sewers. Inform the relevant authorities if the product h or air). See section 12 for ade 	Wear self-containen naterial and runoff as caused environ	ed breathing apparatus and contact with soil, v mental pollution (sewe	s (SCBA) waterways, drains
(b) Methods and material for containment and cleaning up:			
Methods for Containment: Contain and collect spillage v diatomaceous ea	with non-combustik arth, vermiculite).	ble absorbent material,	(e.g. sand, earth,
Methods for Cleaning Up: Larger quantities: remove me	,	nping). Use clean non-	-sparking tools to
collect absorbed material. Smaller quantities and/or residue earth, acid absorbent, universal absorbent or sawdust containers for disposal. Discard any product, residue, dispo and local regulations. For waste di	es: contain with abs). Sweep up absor sable container or	sorbent material (e.g. s bed material and show liner in full compliance	and, diatomaceous el into suitable

personal protective equipment. Wash face, hands, and any exposed skin thoroughly after handling. Avoid contact with skin, eyes or clothing. Keep away from heat/sparks/open flames/hot surfaces. --No smoking. Take precautionary measures against static discharges. Ground container and transfer equipment to eliminate static electric sparks. Use spark-proof tools and explosion-proof equipment. Avoid breathing vapors or mists. Contaminated work clothing should not be allowed out of the workplace. use only in well-ventilated areas. Keep containers closed when not in use. Keep cool.

(b) Conditions for safe storage, including any incompatibilities:

Storage Conditions: Keep container tightly closed and store in a cool, dry and well-ventilated place. Store between 16°-26°C (69°-79°FO. Store locked up. Protect from sunlight. Protect from damp. Store away from heat and incompatible materials.

Packaging Materials: Keep in original container. Fill the container by approximately 90% only, as oxygen (air) is required for stabilization. With large storage containers, make sure the oxygen (air) supply is sufficient to ensure stability.

Incompatible Materials: Organic peroxides, Reducing agent, Strong oxidizing agents.

SECTION 8: Exposure controls/Personal protection

(a) Control parameters:

1. Methyl Methacrylate

ACGIH TLV STEL: 100 ppm TWA: 50 ppm OSHA PEL TWA: 100 ppm TWA: 410 mg/m³ (vacated) NIOSH IDLH IDLH: 1000 ppm TWA: 100 ppm TWA: 410 mg/m³

(b) Appropriate Engineering Controls:

Good ventilation is required.

(c) Individual protection measures:

EYE PROTECTION: Splash googles or safety glasses.

SKIN AND BOODY PROTECTIONS: Polyethylene / Nitrile gloves. Do not use cotton gloves. Rubber boots. Polyethylene apron is recommended.

RESPIRATORY: Ensure adequate ventilation, especially in confined areas. Use NIOSH approved air-purifying respirator if the potential to exceed established exposure limits exists.

GENERAL HYGIENE CONSIDERATIONS: Handle in accordance with good industrial hygiene and safety practice. Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

Colorless liquid (a) Appearance: (b) Odor: Ester-like Not determined (c) Odor threshold: (d) pH: Not applicable -48°C / -54.4°F (e) Melting point / freezing point: (f) Initial boiling point and boiling range: 101°C / 213.8°F 10°C / 50°F DIN 51755 Part 1 (q) Flash point Not determined (h) Evaporation rate (BuAc=1): (i) Flammability: Not determined (j) Upper/lower flammability or explosive limits: 12.5 / 2.1% (k) Vapor Pressure: 47 hPa (I) Vapor density: >1 @20°C (68°F) (Air=1) (m) Relative density: Not determined (n) Solubility: 1-6 g/l in water @ 20°C, Miscible with most organic solvents logPow 1.38 (o) Partition coefficient: n-octanol/water: 430°C / 806°F DIN 51794 (p) Auto-ignition temperature: Not determined (q) Decomposition temperature: (r) Viscosity: Not determined Page 3 of 6

10.20-FM						
ifety Data Sheet		Data Dava d	0/45/0040			
rm No. A411 SECTION 10: Stability and rea	activity	Date Prepared:	2/15/2016			
(a) Reactivity:	Glivity	Not reactive under normal condit	ions.			
(b) Chemical stability:		Stable under recommended storage c				
		olymerization with heat evolution may occur in th				
(c) Possibility of hazardous re	eactions: for	ming substances (e.g. peroxides), reducing sub metal ions.	stances, and/or heavy			
(d) Conditions to avoid:		Temperatures >35°C (95°F).				
(e) Incompatible Materials:		Organic peroxides, Reducing agent, Strong of	Organic peroxides, Reducing agent, Strong oxidizing agents.			
(f) Hazardous decomposition	products:	None under normal use condition	ons.			
SECTION 11: Toxicological in	formation					
Acute toxicity		Not determined				
Skin corrosion/irritation		Causes skin irritation. May cause allergic ski	n reaction.			
Serious Eye Damage / Irritatio		Causes serious eye irritation.				
Respiratory or skin sensitizat	-	use irritation to the mucous membranes and up				
Germ cell mutagenicity	Positive a	s well as negative results in in-vitro mutagenicit experimental information on genotoxicity in viv				
Carcinogenicity		Methyl Methacrylate Monomer - IARC - G				
Reproductive toxicity		tions of toxic effects were observed in reproduc				
STOT-single exposure	-	reause respiratory irritation. May cause drowsin				
STOT-repeated exposure	May	reause respiratory irritation. May cause drowsin	ess or dizziness.			
Aspiration Hazard		Not determined				
(a) Exposure route:		Please see above for normal exposure r	outes.			
(b) Symptoms related to the p	-	I toxicological characteristics: ection 4 of this SDS for symptoms.				
	Please see s	-				
	Please see s fects and also chronic Plea	ection 4 of this SDS for symptoms. effects from short and long tem exposure:				
(c) Delayed and immediate eff (d) Numerical measures of to SECTION 12: Ecological infor	Please see s fects and also chronic Plea xicity:	ection 4 of this SDS for symptoms. c effects from short and long tem exposure: ase see above for effects. Oral LD50 >5000 mg/kg (rat) Dermal LD50 >5000 mg/kg (rat)				
(c) Delayed and immediate eff (d) Numerical measures of to: SECTION 12: Ecological infor (a) Ecotoxicity:	Please see s fects and also chronic Plea xicity: mation	ection 4 of this SDS for symptoms. c effects from short and long tem exposure: ase see above for effects. Oral LD50 >5000 mg/kg (rat) Dermal LD50 >5000 mg/kg (rat) Inhalation LC50 29.8 mg/l (4-hr)	0			
(c) Delayed and immediate eff (d) Numerical measures of to SECTION 12: Ecological infor	Please see s fects and also chronic Plea xicity:	ection 4 of this SDS for symptoms. c effects from short and long tem exposure: ase see above for effects. Oral LD50 >5000 mg/kg (rat) Dermal LD50 >5000 mg/kg (rat)	Crustacea			
(c) Delayed and immediate eff (d) Numerical measures of to: SECTION 12: Ecological infor (a) Ecotoxicity:	Please see s fects and also chronic Plea xicity: mation	ection 4 of this SDS for symptoms. c effects from short and long tem exposure: ase see above for effects. Oral LD50 >5000 mg/kg (rat) Dermal LD50 >5000 mg/kg (rat) Inhalation LC50 29.8 mg/l (4-hr)	Crustacea 69: 48 h Daphnia magna mg/L EC50			
(c) Delayed and immediate eff (d) Numerical measures of to: SECTION 12: Ecological infor (a) Ecotoxicity:	Please see s fects and also chronic Plea xicity: mation Aquatic Plants 170: 96h Pseudokirchneriella subcapitata mg/L EC50	ection 4 of this SDS for symptoms. effects from short and long tem exposure: ase see above for effects. Oral LD50 >5000 mg/kg (rat) Dermal LD50 >5000 mg/kg (rat) Inhalation LC50 29.8 mg/l (4-hr) Fish 243-275: 96 h Pimephales promelas mg/L LC50 flow-through 125.5-190.7: 96 h Pimephales promelas mg/L LC50 static 170- 206: 96 h Lepomis macrochirus mg/L LC50 flow-through 153.9- 341.8: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Oncorhynchus mykiss mg/L LC50 static 326.4-426-9: 96 h Poecilia	69: 48 h Daphnia			
(c) Delayed and immediate eff (d) Numerical measures of to: SECTION 12: Ecological infor (a) Ecotoxicity: 1.Methyl Methacrylate	Please see s fects and also chronic Plea xicity: mation Aquatic Plants 170: 96h Pseudokirchneriella subcapitata mg/L EC50 ility:	ection 4 of this SDS for symptoms. effects from short and long tem exposure: ase see above for effects. Oral LD50 >5000 mg/kg (rat) Dermal LD50 >5000 mg/kg (rat) Inhalation LC50 29.8 mg/l (4-hr) Fish 243-275: 96 h Pimephales promelas mg/L LC50 flow-through 125.5-190.7: 96 h Pimephales promelas mg/L LC50 static 170- 206: 96 h Lepomis macrochirus mg/L LC50 flow-through 153.9- 341.8: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Oncorhynchus mykiss mg/L LC50 static 326.4-426-9: 96 h Poecilia reticulata mg/L LC 50 static	69: 48 h Daphnia			
 (c) Delayed and immediate eff (d) Numerical measures of to: SECTION 12: Ecological infor (a) Ecotoxicity: 1.Methyl Methacrylate (b) Persistence and degradab (c) Bioaccumulative potential 	Please see s fects and also chronic Plea xicity: mation Aquatic Plants 170: 96h Pseudokirchneriella subcapitata mg/L EC50 ility:	ection 4 of this SDS for symptoms. c effects from short and long tem exposure: ase see above for effects. Oral LD50 >5000 mg/kg (rat) Dermal LD50 >5000 mg/kg (rat) Inhalation LC50 29.8 mg/l (4-hr) Fish 243-275: 96 h Pimephales promelas mg/L LC50 flow-through 125.5-190.7: 96 h Pimephales promelas mg/L LC50 static 170- 206: 96 h Lepomis macrochirus mg/L LC50 flow-through 153.9- 341.8: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Oncorhynchus mykiss mg/L LC50 static 326.4-426-9: 96 h Poecilia reticulata mg/L LC 50 static	69: 48 h Daphnia			
 (c) Delayed and immediate eff (d) Numerical measures of to: SECTION 12: Ecological infor (a) Ecotoxicity: 1.Methyl Methacrylate (b) Persistence and degradab 	Please see s fects and also chronic Plea xicity: mation Aquatic Plants 170: 96h Pseudokirchneriella subcapitata mg/L EC50 ility:	ection 4 of this SDS for symptoms. effects from short and long tem exposure: ase see above for effects. Oral LD50 >5000 mg/kg (rat) Dermal LD50 >5000 mg/kg (rat) Inhalation LC50 29.8 mg/l (4-hr) Fish 243-275: 96 h Pimephales promelas mg/L LC50 flow-through 125.5-190.7: 96 h Pimephales promelas mg/L LC50 static 170- 206: 96 h Lepomis macrochirus mg/L LC50 flow-through 153.9- 341.8: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Oncorhynchus mykiss mg/L LC50 static 326.4-426-9: 96 h Poecilia reticulata mg/L LC 50 static	69: 48 h Daphnia magna mg/L EC5			

0.20-FM					
fety Data rm No.	a Sheet A411		Date Prepared: 2/15/201	6	
-		al considerations		0	
Product					
Recomm	mendation				
c Cc	of as a special ontaminated I be taken fo	waste in accordar disposal co Packaging: Conta or reuse. Packagir	Izardous and therefore particularly to be kept under surveillance. It must be dis ince with the regulations after consultation of the competent local authorities an ompany in a suitable and a licensed facility for special waste. Imminated packaging should be emptied optimally and after appropriate cleansin ing that cannot be cleaned should be disposed of according to local regulations 162 - RCRA - Basis for Listing: Included in waste stream: F039 - RCRA - U S Wastes: U162	d th ng m	
		Ca	alifornia Hazardous Waste Status: Toxic, ignitable		
SECTIO	N 14: Transp	ort information			
(a) UN N					
			UN1247		
(b) UN F	Proper shippi	ng name	Mathyl mathean late monomer, stabilized		
(c) Tran	sport hazard		Methyl methacrylate monomer, stabilized		
		01035(05)	3		
(d) Pack	king Group				
			II		
(e) Envi	ronmental ha	zards			
(f) T ropo			Not determined		
(f) Frans	sport in bulk		Not determined		
(q) Othe	er Information	l			
(0)			Not determined		
SECTIO	N 15 [.] Regulat	tory information			
	Reporting Req		Yes		
SARA T	hreshold Plar	nning Quantity:	1.00%		
TSCA In	ventory Statu	JS:	Not determined		
Other Fo	ederal Requir	ements:	CERCLA - Hazardous Substances RQs: 1000 lb - Reportable Quantity: 1000 lb final RQ, RQ 454 kg final RQ CWA - CWA - Reportable Quantities: 1000 lb	RG	
Other C	anadian Regu	ulations:	Not determined		
State Re	egulatory Info	ormation:	U.S. State Right-to-Know Regulations: New Jersey, Massachusetts, Pennsylvania		

0.20-FM					
ety Data					
m No.	A411			Date Prepared: 2/1	15/20
	N 16: Other informat				
PREPAR			/n Harris		
GAR QM	IS SDS REFERENCE	A396			
HAZARD	OUS MATERIAL IDE	ENTIFICATION (HM	IS) RATING:		
		•	Not determined		
		Flammability	Not determined		
		•	Not determined		
		•	Not determined		
				ENTIFICATIN RATING:	
	AL FIRE PROTECTIC	Health	Not determine		
		Flammability	Not determine		
		Reactivity	Not determine		
		Special Information			
REVISIO	N NUMBER:	160215			
CHANGE	ES FROM PREVIOUS	VERSION:	INITIAL	VERSION	
	// ATIONO				
				LD Lethal Dose	
	Applicable Determined			TC Toxic Concentration	
	Established			TD Toxic Dose	
	ts per million			BOD Biological Oxygen Demand	
G Gallon				COD Chemical Oxygen Demand	
mg Millig				Lo Lowest	
L Liter	lan			ThOD Theoretical Oxygen Demand	
gm Gran	n			TLm Threshold Limit	
mol Mole				IC Inhibitory Concentration	
kg Kilogr				DOC Dissolved Organic Carbon	
µ Micro	am			H Hours	
mm Millir	meter			M Months	
p Pico				D Days	
Pa Pasca	als			Y Years	
c cento				W Weeks	
	al Concentration			NOEL No Observed Effect Level	
	American Conference	of Governmental Inc	lustrial Hygienist	NOAEL No Observed Adverse Effect	Leve
ACGIH A	ntrolled Product's Reg			DSL Canadian Domestic Substances	
				PEL Permissible Exposure Limit	
CPR Cor	-	C Substance List			
CPR Cor NDSL Ca	anadian Non-domestic ernational Agency for		r	TLV Threshold Limit Value	

THIS MATERIAL SAFETY DATA SHEET IS PREPARED IN COMPLIANCE WITH FEDERAL REGULATIONS (29 CFR 1910.1200) OFCHEMICALS AND THE GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING REVISION 5. ANY APPLICABLE STATE AND LOCAL REGULATIONS SHOULD BE CONSULTED. THE ABOVE INFORMATION MAY BE BASED IN PART ON INFORMATION PROVIDED BY COMPONENT SUPPLIERS AND IS BELIEVED TO BE CORRECT AS OF THE DATE HEREOF. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OF THESE DATA, THE RESULTS TO BE OBTAINED FROM THE USE OF THE MATERIAL, OR THE HAZARDS CONNECTED WITH SUCH USE. SINCE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL AND WITH WHICH WE MAY BE UNFAMILIAR, AND SINCE DATA MADE AVAILABLE SUBSEQUENT TO THE DATE HEREOF MAY SUGGEST MODIFICATION OF THE INFORMATION, WE ASSUME NO RESPONSIBILITY FOR THE RESULT OF ITS USE. THIS INFORMATION AND MATERIAL IS FURNISHED ON THE CONDITION THAT THE PERSON RECEIVING IT SHALL MAKE HIS/HER OWN DETERMINATION AS TO THE SUITABILITY OF THE MATERIAL FOR HIS/HER PARTICULAR PURPOSE AND ON THE CONDITION THAT HE/SHE ASSUME THE RISK OF HIS/HER USE THEREOF.