# Safety Data Sheet

Form No. A438 Date Prepared: 4/18/2016

## SECTION 1: Identification of the substance/preparation and of the company / undertaking

## (a) GHS product identifier

Aluminum Oxide, Brown

## (e) Emergency phone number

CHEMTREC 1-800-424-9300

### (b) Other means of identification

NA

# (c) Recommended use of the chemical and restrictions on use

For professional dental applications.

### (d) Supplier's details

Garreco, LLC.

430 Hiram Road

Heber Springs, AR 72543 Phone: 1-800-334-1443

## **SECTION 2: Hazards identification**

# (a) GHS classification of the substance/mixture

### **Substance Name**

- 1. Aluminum Oxide
- 2. Silicon Dioxide
- 3. Titanium Dioxide

### (b) Label Elements

#### **Hazard statements**

Suspected of causing cancer via inhalation.

## **Precautionary statements**

Wear protective gloves/protective clothing/eye protection/face protection.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

If exposed or concerned: Get medical attention.

Dispose of contents/container in accordance with local/regional/national/international regulations

Signal Word(s)

# Hazard Symbol(s)

Health Hazard Warning

#### (c) Other hazards which do not result in classification

**IF ON SKIN:** Wash thoroughly with soap and warm water.

IF INHALED: Remove to fresh air.

IF SWALLOWED: Never give anything by mouth to an unconscious person. Rinse mouth with water.

**IF IN EYES:** Flush eyes with water.

### **SECTION 3: Composition/information on ingredients**

(a) Chemical(s) Identity:	Mixture:		
(b) Common Name:	(c) CAS No.	Concentration (Percentage)	
Aluminum Oxide	1344-28-1	>95%	
Silicon Dioxide	7631-86-9	<5%	
Titanium Dioxide	13463-67-7	<5%	

# **SECTION 4: First-aid measures**

## (a) Description of first aid measures:

**IF ON SKIN (OR HAIR)**: Brush off loose particles from skin. Clean with water and soap. If skin irritation is experienced, consult a doctor.

**IF INHALED:** Supply fresh air; consult doctor in case of complaints.

**IF SWALLOWED:** Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help.

**IF IN EYES:** Immediately remove contact lenses if possible.

# (b) Most important symptoms and effects, both acute and delayed:

Coughing, gastric or intestinal disorders, breathing difficulty, danger of impaired breathing. Suspected of causing cancer.

## (c) Indication of any immediate medical attention and special treatment needed:

# Safety Data Sheet

Form No. A438 **Date Prepared: 4/18/2016** 

# **SECTION 5: Fire-fighting measures**

(a) Suitable extinguishing media:

Use extinguishing measures that suit the environment.

(b) Special hazards arising from the chemical or mixture:

None

(c) Special protective equipment and precautions for fire-fighters:

Wear self-contained respiratory protective device. Wear fully protective suit.

Form No. A438 Date Prepared: 4/18/2016

### **SECTION 6: Accidental release measures**

### (a) Personal precautions, protective equipment and emergency procedures:

Use respiratory protective device against the effects of fumes/dust/aerosol. For large spills wear protective clothing.

Avoid formation of dust. Ensure adequate ventilation.

# (b) Environmental precautions:

None

## (c) Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13. Send for recovery of disposal in suitable receptacles.

### **SECTION 7: Handling and storage**

### (a) Precautions for safe handling:

Prevent formation of dust. Any deposit of dust which cannot be avoided must be regularly removed. Use only in well ventilated areas. Avoid breathing dust. Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.

### (b) Conditions for safe storage, including any incompatibilities:

Store away from oxidizing agents. Store away from foodstuffs. Store in cool, dry conditions in well sealed receptacles. Store receptacle in a well ventilated area. Protect from humidity and water. This product is hygroscopic.

## **SECTION 8: Exposure controls/Personal protection**

(a) Control parameters:

(r) Viscosity:

ACGIH

Chemical

TLV

TLV-STEL

PEL TWA

PEL CEILING

Aluminum Oxide

1 mg/m³ as respirable

NE

15 mg/m³ as respirable and total dust

NE

Titanium Dioxide

10 mg/m³

15 mg/m³ total dust

## (b) Appropriate Engineering Controls:

General industrial hygiene practice.

### (c) Individual protection measures:

**RESPIRATORY:** Use suitable respiratory protective device in case of insufficient ventilation. For spills, respiratory protection may be advisable.

### **EYE PROTECTION:** Safety Glasses.

**PROTECTIVE GLOVES:** Wear gloves for the protection against mechanical hazards according to OSHA and NIOSH rules. Gloves are advised for repeated or prolonged contact. The glove material has to be impermeable and resistant to the substance.

**OTHER PROTECTIVE EQUIPMENT:** Not required under normal conditions of use. Protection may be required for spills.

Page 3 of 6

NA

OFOTIO	NIA DI		properties

(a) Appearance:	Light to Dark brown Granulate
(b) Odor:	Odorless
(c) Odor threshold:	ND
(d) pH:	Slightly alkaline
(e) Melting point / freezing point:	2050°C (3722°F)
(f) Initial boiling point and boiling range:	Undetermined
(g) Flash point	NA
(h) Evaporation rate (BuAc=1):	NA
(i) Flammability:	Product is not flammable.
(j) Upper/lower flammability or explosive limits:	ND
(k) Vapor Pressure:	NA
(I) Vapor density:	3.95 g/cm³ (32.963 lbs/gal)
(m) Relative density:	ND
(n) Solubility:	Insoluble.
(o) Partition coefficient: n-octanol/water:	ND
(p) Auto-ignition temperature:	ND
(q) Decomposition temperature:	ND

Safety Data Sheet

Form No. A438 Date Prepared: 4/18/2016

**SECTION 10: Stability and reactivity** 

(a) Reactivity:

(b) Chemical stability:

(c) Possibility of hazardous reactions:

(d) Conditions to avoid:

(f) Hazardous decomposition products:

Not reactive if used and stored according to specifications.

Stable if used and stored according to specifications.

Reacts with strong acids, oxidizing agents, and strong alkali.

ND.

Toxic metal oxide smoke.

**SECTION 11: Toxicological information** 

Acute toxicity
Skin corrosion/irritation

Serious Eye Damage / Irritation Respiratory or skin sensitization

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity STOT-single exposure

STOT-repeated exposure

**Aspiration Hazard** 

None No irritant effect.

Slight irritant effect on eyes. No sensitizing effects known.

ΝE

NTP - Substance is not listed, OSHA-Ca - Substance is not listed.

ΝE

None

Suspected of causing cancer via inhalation. May cause pulmonary disease.

NE

(a) Exposure route: Inhalation.

(b) Symptoms related to the physical, chemical and toxicological characteristics:

Cough, chest pain, difficulty breathing, gastrointestinal disturbance.

(c) Delayed and immediate effects and also chronic effects from short and long tem exposure:

Cough, chest pain, difficulty breathing, gastrointestinal disturbance, cancer, and pulmonary disease.

(d) Numerical measures of toxicity:

ΝE

## **SECTION 12: Ecological information**

(a) Ecotoxicity:

Generally not hazardous for water.

(b) Persistence and degradability:

Inorganic product, is not eliminable from water by means of biological cleaning

processes.

(c) Bioaccumulative potential

Does not accumulate in organisms.

(d) Mobility in soil:

No further relevant information available.

(e) Other adverse effects:

No further relevant information available.

### **SECTION 13: Disposal considerations**

### **Product:**

#### Recommendation

**WASTE DISPOSAL METHOD:** Smaller quantities can be disposed of with household waste. Can be reused after reprocessing. Contact waste processors for recycling information. Disposal must be made according to official regulations for uncleaned packaging.

## **SECTION 14: Transport information**

(a) UN Number

Not Regulated

(b) UN Proper shipping name

Not Regulated

(c) Transport hazard class(es)

Not Regulated

(d) Packing Group

Not Regulated

(e) Environmental hazards

No

(f) Transport in bulk

Not applicable

(g) Other Information

Not applicable

Page 4 of 6

Safety Data Sheet

Form No. A438 Date Prepared: 4/18/2016

**SECTION 15: Regulatory information** 

SARA Reporting Requirements: There may be reporting requirements for this product.

SARA Threshold Planning Quantity:

There may be specific Threshold Planning Quantities for the components of this

product.

**TSCA Inventory Status:**The components of this product are listed on the TSCA Inventory.

Other Federal Requirements:

Proposition 65 titanium dioxide is known to cause cancer. EPA Substance is not

listed. IARC: Titanium Dioxide.

Other Canadian Regulations: DSL: Substance is listed.

State Regulatory Information:

This product may contain components that are covered under specific state

criteria.

**SECTION 16: Other information** 

PREPARED BY: Kathryn Harris

GAR QMS SDS REFERENCE: A307

HAZARDOUS MATERIAL IDENTIFICATION (HMIS) RATING:

Health 1
Flammability 0
Reactivity 0
Other NA

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) HAZARD IDENTIFICATIN RATING:

Health 1
Flammability 0
Reactivity 0
Special Information NA

**REVISION NUMBER:** 160418

CHANGES FROM PREVIOUS VERSION: INITIAL VERSION

**ABBREVIATIONS** 

NA Not Applicable LD Lethal Dose

ND Not Determined TC Toxic Concentration

NE Not Established TD Toxic Dose

ppm parts per million BOD Biological Oxygen Demand G Gallon COD Chemical Oxygen Demand

mg Milligram Lo Lowest

L Liter ThOD Theoretical Oxygen Demand

gm Gram TLm Threshold Limit mol Mole IC Inhibitory Concentration by Kilogram DOC Dissolved Organic Carbon

μ Micro
 mm Millimeter
 p Pico
 Pa Pascals
 c cento
 H Hours
 M Months
 D Days
 Y Years
 W Weeks

LC Lethal Concentration

ACGIH American Conference of Governmental Industrial Hygienist

CPR Controlled Product's Regulation
DSL Canadian Domestic Substances List
NDSL Canadian Non-domestic Substance List
IARC International Agency for Research for Cancer

NOEL No Observed Effect Level

NOAEL No Observed Adverse Effect Level

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

TLV Threshold Limit Value

# Safety Data Sheet

Form No. A438 Date Prepared: 4/18/2016

THIS MATERIAL SAFETY DATA SHEET IS PREPARED IN COMPLIANCE WITH FEDERAL REGULATIONS (29 CFR 1910.1200) OFCHEMICALS AND THE GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING REVISION 5. ANY APPLICABLE STATE AND LOCAL REGULATIONS SHOULD BE CONSULTED. THE ABOVE INFORMATION MAY BE BASED IN PART ON INFORMATION PROVIDED BY COMPONENT SUPPLIERS AND IS BELIEVED TO BE CORRECT AS OF THE DATE HEREOF. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OF THESE DATA, THE RESULTS TO BE OBTAINED FROM THE USE OF THE MATERIAL, OR THE HAZARDS CONNECTED WITH SUCH USE. SINCE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL AND WITH WHICH WE MAY BE UNFAMILIAR, AND SINCE DATA MADE AVAILABLE SUBSEQUENT TO THE DATE HEREOF MAY SUGGEST MODIFICATION OF THE INFORMATION, WE ASSUME NO RESPONSIBILITY FOR THE RESULT OF ITS USE. THIS INFORMATION AND MATERIAL IS FURNISHED ON THE CONDITION THAT THE PERSON RECEIVING IT SHALL MAKE HIS/HER OWN DETERMINATION AS TO THE SUITABILITY OF THE MATERIAL FOR HIS/HER PARTICULAR PURPOSE AND ON THE CONDITION THAT HE/SHE ASSUME THE RISK OF